

L Number	Hits	Search Text	DB	Time stamp
1	7	(printer\$5 copy adj1 machine\$5 facsimile\$5) with (automatic\$5 adj2 password\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 10:46
2	2	("6088684").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 10:16
11	12	(printer\$5 copy adj1 machine\$5 facsimile\$5) with (generat\$6 adj2 password\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 10:58
12	101	(issue\$5 generat\$5 assign\$5) with (password\$5 adj3 automatic\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 11:22
13	87	(issue\$5 generat\$5 assign\$5) near3 (password\$5 adj3 automatic\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 11:17
14	1	(issue\$5 generat\$5 assign\$5) near3 (password\$5 adj3 automatic\$5) with intervention\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 10:55
16	2	(issue\$5 generat\$5 assign\$5) with (password\$5 adj3 automatic\$5) with without	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 10:58
18	3	(printer\$5 copy adj1 machine\$5 facsimile\$5) with (issue\$5 generat\$5 assign\$5) with (password\$5 adj3 automatic\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 10:59
19	19	(printer\$5 copy adj1 machine\$5 facsimile\$5 server\$5) with (issue\$5 generat\$5 assign\$5) with (password\$5 adj3 automatic\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 11:01
20	1	((printer\$5 copy adj1 machine\$5 facsimile\$5 server\$5) with (issue\$5 generat\$5 assign\$5) with (password\$5 adj3 automatic\$5)) and @ad<19990122	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 11:01
21	27	((issue\$5 generat\$5 assign\$5) near3 (password\$5 adj3 automatic\$5)) and @ad<19990122	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 11:22
15	1	(issue\$5 generat\$5 assign\$5) with (password\$5 adj3 automatic\$5) with intervention\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 11:17
26	9	(issue\$5 generat\$5 assign\$5) near3 (new adj2 password\$5 adj3 automatic\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 11:18
27	25	(computer\$5 server\$5) with (issue\$5 generat\$5 assign\$5) with (password\$5 adj3 automatic\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 11:23

28	6	((computer\$5 server\$5) with (issue\$5 generat\$5 assign\$5) with (password\$5 adj3 automatic\$5)) and @ad<19990122	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 13:42
29	0	new\$5 adj2 password\$5 with each\$5 with use\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 13:48
30	14	printer\$5 with new\$5 adj2 password\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 14:01
-	4	((auto\$6) adj2 (issu\$5 updat\$5 upgrad\$5 new\$5 chang\$5) with (password\$5)) same (printer\$5 copy adj1 machine\$5 facsimil\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 12:46
-	1	(automatic\$5 adj2 (issu\$5 generat\$5) adj3 password\$5) same (printer\$5 copy adj2 machine\$5 facsimil\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 12:52
-	1	JP11291007	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 12:51
-	2	"11291007"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 12:51
-	0	??291007.pran.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 12:51
-	106	??91007.pran.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 12:51
-	1	???91007.pran.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 12:51
-	0	(printer\$5 copy adj2 machine\$5 facsimil\$5) with (auto\$5 with generat\$5 adj2 password\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 13:39
-	27	(generat\$5 issu\$5 assign\$5) with (new\$5 updat\$5 upgrad\$5) adj2 (password\$5) with (automatic\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 13:58
-	86	(generat\$5 issu\$5 assign\$5) same (new\$5 updat\$5 upgrad\$5) adj2 (password\$5) same (automatic\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 14:58
-	1	881824.URPN.	USPAT	2004/08/31 14:23
-	2	("6181440").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 14:25

-	2	6181440.URPN.	USPAT	2004/08/31 14:26
-	29	((generat\$5 issu\$5 assign\$5) same (new\$5 updat\$5 upgrad\$5) adj2 (password\$5) same (automatic\$5)) and @ad<19990122	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 15:00
-	6	(generat\$5 issu\$5 assign\$5) with (new\$5 updat\$5 upgrad\$5) adj2 (password\$5) with without with (user\$5 operator\$5 intervention\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 10:59
-	53	(generat\$5 issu\$5 assign\$5) with (new\$5 updat\$5 upgrad\$5) adj2 (password\$5) same (automatic\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 15:00
-	17	((generat\$5 issu\$5 assign\$5) with (new\$5 updat\$5 upgrad\$5) adj2 (password\$5) same (automatic\$5)) and @ad<19990122	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 10:59